EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:20
L2	0	L1 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:21
L3	1	(parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction same(face or facial or eyes or mouth or lips)and(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:25
L4	0	(parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction same(face or facial or eyes or mouth or lips)same(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:25
L5	0	L3 and feature adj extraction and second adj layer and creat$3 and(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:29
L6	0	L3 and(detect$3 or determining)and(model or reference adj image$1 or template)and feature adj extraction and second adj layer and first adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:32
L7	0	L3 and(detect$3 or determining)and(model or reference adj image$1 or template)and feature adj extraction and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:32
L8	286	(detect$3 or determining)and(model or reference adj image$1 or template)and feature adj extraction and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:34

L9	0	(detect$3 or determining)same(model or reference adj image$1 or template)same feature adj extraction same second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:34
L10	0	(parent adj level or child adj level)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:35
L11	831	(parent adj level or child adj level)and model$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:35
L12	0	L11 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips) and(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:36
L13	0	L11 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:36
L14	1	L11 and pattern adj identificat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:36
L15	0	L11 and pattern adj identificat$3 and feature adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:37
L16	0	L14 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:39

L17	101	(("(5710833") or ("5748776") or ("6054997") or ("4410077") or ("4782690") or ("4975960") or ("5214721") or ("5247590") or ("5394097") or ("5534973") or ("5654643") or ("5812193") or ("5859921") or ("4254956") or ("4280075") or ("4297576") or ("4345155") or ("4377810") or ("4480474") or ("4491019") or ("4491728") or ("4502704") or ("4504208") or ("4508453") or ("4516266") or ("4574199") or ("4603228") or ("4774464") or ("4786870") or ("4800927") or ("4811814") or ("4816811") or ("4818861") or ("4821638") or ("4862365") or ("4897845") or ("4932256") or ("4934292") or ("4961690") or ("4971947") or ("4997770") or ("5003249") or ("5012522") or ("5016282") or ("5199545") or ("5259382") or ("5263918") or ("5325178") or ("5355163") or ("5362971") or (").pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/01 16:44
L18	0	L17 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips) and(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:45
L19	0	L17 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:45
L20	0	L17 and pattern adj identificat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:45
L21	101	L17 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:45
L22	13	L21 and(detect$3 or determining)same(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:49
L23	0	L22 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:50
L24	0	L22 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:50

L25	1	L22 and(hierarchical or pyramid or parent or child)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:50
L26	1	L25 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:50
L27	6114	382/118,243,285,233,173,228,195,218,190,191,192,224,111,279,156,157.CCLS.	USPAT	OR	ON	2009/05/01 16:53
L28	7	L27 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:54
L29	0	L27 and(parent adj level or child adj level)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or lower)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:55
L30	0	L27 and(parent adj level or child adj level)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:55
L31	1	L27 and(parent adj level or child adj level or hierarchical or pyramid)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:56
L32	1	L31 and(detect$3 or determining)same(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:57
L33	0	L32 and(parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first)adj layers	USPAT	OR	ON	2009/05/01 16:59
L34	0	L27 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:01

L35	5	(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first)adj layers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:01
L36	0	L35 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:01
L37	2	L35 and(detect$3 or determining)same(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:05
L38	0	L27 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:08
L39	608	324/687,663,687.ccls.	USPAT	OR	ON	2009/05/01 17:10
L40	0	L39 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:10
L41	0	L39 and(parent adj level or child adj level or hierarchical or pyramid)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:11
L42	0	L39 and (hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:11
L45	1267	375/E7.026,E7.084,E7.209,E7.255,E7.261,E5.042,240.19.CCLS.	USPAT	OR	ON	2009/05/01 17:13
L46	0	L45 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:13
L47	0	L45 and(parent adj level or child adj level or hierarchical or pyramid)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:14
L48	0	L45 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:14
L49	1037	706/15,25.ccls.	USPAT	OR	ON	2009/05/01 17:15
L50	2	L49 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:15
L51	1	L50 and(parent adj level or child adj level or hierarchical or pyramid)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:15

L52	0	L51 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:16
L53	1	L51 and @ad<"20021216"	USPAT	OR	ON	2009/05/01 17:16
L54	569	250/385.1.ccls.	USPAT	OR	ON	2009/05/01 17:17
L55	0	L54 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:17
L56	0	L54 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:17
L57	424	348/88,91,92,128.ccls.	USPAT	OR	ON	2009/05/01 17:17
L58	1	L57 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	USPAT	OR	ON	2009/05/01 17:17
L59	0	L58 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:18
L60	0	L58 and(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)and(higher or second or lower or first) adj layers	USPAT	OR	ON	2009/05/01 17:18
L61	5	(hierarchical or pyramid or parent or child)and(detect$3 or determining)and(model or reference adj image$1 or template)and pattern adj identificat$3 and feature adj extraction and(higher or second adj layer or lower or first adj layer).CLM.	US-PGPUB	OR	ON	2009/05/01 17:21
L62	5	(hierarchical or pyramid or parent or child)and(detect$3 or determining)and(model$1 or reference adj image$1 or template)and pattern adj identificat$3 and feature adj extraction and(higher or second adj layer or lower or first adj layer).CLM.	US-PGPUB	OR	ON	2009/05/01 17:22
L64	0	L62 and (@ad<"20021216" or @rlad<"20021216" or @prad<"20021216" or @ptad<"20021216")	US-PGPUB	OR	ON	2009/05/01 17:23
S1	2880	pattern adj identificat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 12:41
S2	4	S1 and hierarchically adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 12:41
S3	0	(pattern and identification and hierarchically adj extraction and feature adj extraction and first adj layer and second adj layer and higher and lower).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 12:54

S4	2	(pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer and higher and lower).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 12:54
S5	2	(pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer and higher and lower).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:30
S6	0	S5 and (@ad<"20021216" or @rlad<"20021216" or @prad<"20021216" or @ptad<"20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:35
S7	0	S5 and likehood	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:42
S8	2	S5 and likelihood	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:42
S9	2	S8 and predetermined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:43
S10	1	S9 and conversions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:43
S11	2	S9 and re adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:44
S12	2	S11 and lower adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:44

S13	1	S12 and upper adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:44
S14	2	S12 and specific adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:45
S15	0	S14 and first adj extraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:54
S16	0	S14 and first adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:54
S17	2	S14 and first and second and extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 14:54
S18	92	((KATSUHIKO) near2 (MORI)).INV.	US-PGPUB; USPAT	OR	ON	2008/11/02 14:58
S19	106	((MASAKAZU) near2 (MATSUGU)).INV.	US-PGPUB; USPAT	OR	ON	2008/11/02 14:58
S20	13	((MIE) near2 (ISHII)).INV.	US-PGPUB; USPAT	OR	ON	2008/11/02 14:59
S21	23	((YUSUKE) near2 (MITARAI)).INV.	US-PGPUB; USPAT	OR	ON	2008/11/02 14:59
S22	2	S18 and pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:00
S23	2	S19 and pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:00

S24	1	S20 and pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:01
S25	0	S21 and pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:01
S26	190	pattern and identification and hierarchically and feature adj extraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:05
S27	6	S26 and first adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:05
S28	0	S27 and second adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:06
S29	6	S27 and determination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:06
S30	0	S27 and determination adj step	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:07
S31	0	S29 and determination adj step	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:07
S32	5	S27 and second and feature adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:08

S33	0	S32 and determination adj step	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:08
S34	2	S32 and (@ad<"20021216" or @rlad<"20021216" or @prad<"20021216" or @ptad<"20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:08
S35	127	S26 and (face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:10
S36	4	S35 and first adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:11
S37	3	S36 and second and feature adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:11
S38	0	S37 and (@ad<"20021216" or @rlad<"20021216" or @prad<"20021216" or @ptad<"20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:11
S39	12	(("(7039233") or ("7054850") or ("20060074653") or ("20060115157") or ("2002018775") or ("20060228005).pn")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 15:19
S40	8	S39 and (@ad<"20021216" or @rlad<"20021216" or @prad<"20021216" or @ptad<"20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:19
S41	8	S39 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 15:20

S42	12	(("(7039233") or ("7054850") or ("20060074653") or ("20060115157") or ("2002018775") or ("20060228005").pn")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/17 15:31
S43	8	S42 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:31
S44	205	pattern and identification and hierarchically and feature adj extraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:32
S45	22	S44 and pattern and identification and hierarchically and feature adj extraction and first adj layer and second adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:37
S46	5	S45 and (@ad<"20021216" or @rlad<"20021216" or @prad<"20021216" or @ptad<"20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:38
S47	0	S46 and feature adj extraction and second adj layer same (model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:39
S48	0	S46 and feature adj extraction and second adj layer and creat$3 adj(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:39
S49	0	S46 and feature adj extraction and second adj layer and creat$3 near3(model or reference adj image $1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:40
S50	1	S46 and feature adj extraction and second adj layer and creat$3 and(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:40

S51	1	S50 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:40
S52	4	"L35" and feature adj extraction and second adj layer and higher and(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:44
S53	19	S45 and feature adj extraction and second adj layer and higher and(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:44
S54	2	S53 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:44
S55	2	S45 and feature adj extraction and lower adj feature and (detect$3 or determining)and(second adj layer or higher)and(model or reference adj image$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:49
S56	0	S55 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:50
S57	2	"7327891".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:56
S58	0	S45 and creat$3 adj model and features adj extracted same lower adj feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:05
S59	0	S45 and creat$3 and model and features adj extracted same lower adj feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:06

S60	0	S44 and creat$3 and model and features adj extracted same lower adj feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:06
S61	0	creat$3 and model and features adj extracted same lower adj feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:06
S62	2	S44 and creat$3 and model and feature adj extracted and lower adj feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:06
S63	2	S62 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:07
S64	0	S62 and(detect$3 or determining)and higher adj feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:08
S65	2	S44 and creat$3 and model and feature adj extracted and lower adj feature and(detect$3 or determining)and(higher adj feature or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:53
S66	2	S65 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 16:53
S67	0	S55 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 17:19
S68	26226	(hierarchical or pyramid or parent or child)same model$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 14:56

S69	3	(hierarchical or pyramid or parent or child)same model$1 same pattern adj identificat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 14:57
S70	3	S69 and(@ad< "20021216" or @rlad< "20021216" or @prad< "20021216" or @ptad< "20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 14:57
S71	0	(hierarchical or pyramid or parent or child)same model$1 same pattern adj identificat$3 same(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 14:59
S72	139	(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 14:59
S73	14	(hierarchical or pyramid or parent or child)and model$1 and pattern adj identificat$3 same(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 14:59
S74	4	S73 and(@ad< "20021216" or @rlad< "20021216" or @prad< "20021216" or @ptad< "20021216")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:00
S75	4	S73 and @ad< "20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:00
S76	15408	(parent or child)same model$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:01
S77	0	(parent or child)same model$1 same pattern adj identificat$3 same(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:01

S78	5	(parent or child)and model$1 and pattern adj identificat$3 and feature adj extraction and(face or facial or eyes or mouth or lips)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:02
S79	2	S78 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:02
S80	2	S79 and feature adj extraction and(second adj layer or second)same(model$1 or reference adj image $1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:06
S81	0	S79 and feature adj extraction same(second adj layer or second)same(model$1 or reference adj image $1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 15:07

5/1/09 5:23:18 PM
C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\9882.wsp